



**Finimaster** original®



Now available in 2 different versions

**Finimaster**  
& **basic**  
**pro** **NEW**

**cibo**  
time saving abrasives



This powerful machine with an extremely high torque guarantees spectacular power transmission. The adjustable speed guarantees comfort and easy use.

The ingeniously positioned handgrip guarantees a **100% controlled working pressure.**

Result: **a uniform and flawless finish in less time, using less material, on plate materials and round and rectangular piping.**

Whether for satinising, structuring, homogenising, brushing, roughing, cleaning, polishing, etc, the Finimaster® combines high user comfort with a finish comparable to that of a stationary machine.

The Finimaster's® great appetite for work can be seen in **the wide range of brushes, belts, finishing and grinding wheels** that can be used with this machine.

## Finimaster II added bonuses



Stable and cool thanks to the large diameter of the wheels.



Easily adjustable protective cover increases the usability and accessibility.



Fast and simple change of wheels.



220% more volume of abrasive material in comparison with current wheels.



Grinds from almost every conceivable position.





## Applications

- |                |                   |
|----------------|-------------------|
| Purpose:       | For processing:   |
| - Sanitising   | - Stainless steel |
| - Structuring  | - Aluminium       |
| - Homogenising | - Brass           |
| - Brushing     | - Copper          |
| - Roughing     | - Plastics        |
| - Cleaning     | - Wood            |
| - Polishing    | - And more        |
| - And more     |                   |

## General characteristics

- **Double-toothed gear transmission:**  
This ensures an extremely high torque, resulting in spectacular power transmission.
- **Tachometer:**  
This innovative electronic device guarantees continuous revolution speed, even with a high load, monitors the coil temperature, and ensures electronic restart protection.
- **Continuously adjustable speed:**  
From 900 to 2810 rpm.
- **Patented powder coating:**  
Extra protection for the motor against dust penetration (lifespan up to 50% longer)
- **1200 watt motor**
- **Double bearing system**
- **Handle:**  
Perpendicular above the grinding wheel, mounted for perfect pressure control.
- **Protective cover:**  
Solidly built and easy to adjust.
- **Metal case:**  
Each set comes in a strong metal case.

## Your benefits

### General:

- Uniform, flawless finish
- Faster grinding & faster results
- Perfect working pressure control
- Suitable for plate materials and for round and rectangular pipes
- Grinding up to the corner also possible

### Only with Finimaster II:

- You can grind from almost any position thanks to the ingenious adjustable protective cover.
- Faster material exchange & less material exchange
- Cooler grinding
- Up to 220% more grinding material





















### Set 1 :

See the table below for the contents.

### Set 2 contains the complete contents of set 1 plus:

- 1 combiwheel Ø 120 mm      Order number FMCM/80/120110 (only FMCI)
- 1 combiwheel Ø 100 mm      Order number FMCA/80/100100 (only FMBA)
- 1 spray can Inoxiclean      Order number SPIC
- 1 abrasive rubber              Order number FORU/60
- 1 Inoxytape roll                Order number MHIT

CONTENT OF BASIC code FMBAset1		
1200 Watt drive motor with fixed protective cover for wheels Ø 100 x 100 mm with key seat.		
<b>Tex wheel</b>		1
# 80 - Ø 100 mm - Order number FMTA/80/100100		
<b>Drive wheel</b>		1
Polyurethane - Order number FMSB1		
<b>Inflatable wheel</b>		1
Ø 90 mm- Order number FMNU374		
<b>Surface conditioning belts</b>		2 2 1
Coarse - Order number FMVT/FE1/305x100 Medium - Order number FMVT/FE2/305x100 Very fine - Order number FMVT/FE3/305x100		
<b>Cloth zirc. abrasive belts</b>		2 2 1
# 40 - Order number FMTZ59/40/293X100 # 80 - Order number FMTZ59/80/293X100 # 120 - Order number FMTZ59/120/293X100		
<b>Cloth endless zirc belts</b>		1 1
# 80 - Order number TZ59/80/675X40 # 120 - Order number TZ59/120/675X40		
<b>Open velcro belts</b>		2 2 1
Ultra fine - Order number FMGRT/SUF/60040 Fine - Order number FMGRT/AF/60040 + fastener - FMGRSL50030		
<b>Flat spanner</b>		1
Order number SMFLP24070		
<b>Pump</b>		1
Order number FMNUM/P		

CONTENT OF PRO code FMCI PRS1		
1200 Watt drive motor, with easy-adjust protective cover for wheels Ø 120 x 110 mm with fast exchange system.		
<b>Tex wheel</b>		1
# 80 - Ø 120 mm - Order number FMTM/80/120110		
<b>Drive wheel</b>		1
Rubber- Order number FMSBM1		
<b>Inflatable wheel</b>		1
Ø 125 mm- Order number FMNUM		
<b>Surface conditioning belts</b>		2 2 1
Coarse - Order number VT/FE1/395x100 Medium - Order number VT/FE2/395x100 Very fine - Order number VT/FE3/395x100		
<b>Cloth zirc. abrasive belts</b>		2 2 1
# 40 - Order number TZ59/40/385X100 # 80 - Order number TZ59/80/385X100 # 120 - Order number TZ59/120/385X100		
<b>Cloth endless zirc belts</b>		1 1
# 80 - Order number TZ59/80/675X40 # 120 - Order number TZ59/120/675X40		
<b>Open velcro belts</b>		2 2 1
Ultra fine - Order number FMGRT/SUF/60040 Fine - Order number FMGRT/AF/60040 + fastener - FMGRSL50030		
<b>Flat spanner</b>		1
Order number SMFLP24070		
<b>Pump</b>		1
Order number FMNUM/P		

The composition of the set is merely informative and can be modified without notice.

Your local dealer

Produced by



Deugenietastraat 5 - 3150 Tildonk - Belgium

+ 32 16 61 85 85

+ 32 16 61 84 84

info@cibo.be

www.cibo.be